

BOROUGH OF AMBLER  
MONTGOMERY COUNTY, PA

ORDINANCE NO. 1071

AN ORDINANCE OF THE BOROUGH OF AMBLER AMENDING THE SEWER USE ORDINANCE, ORDINANCE 902, SECTION 2.4 (CODIFIED AT 18-313) BY ADOPTING NEW DISCHARGE LIMITATIONS IMPOSED IN ACCORDANCE WITH THE NATIONAL PRETREATMENT PROGRAM, COMMONLY REFERRED TO AS "LOCAL LIMITS", AND KEEPING THE REMAINDER OF THE SEWER USE ORDINANCE IN FULL FORCE AND EFFECT

WHEREAS, the United States Environmental Protection Agency maintains a National Pretreatment Program in conjunction with the National Pollutant Discharge Elimination System, through which it regulates the discharge of certain pollutants, and

WHEREAS, through this program, EPA calculates certain discharge limitations that are site specific to the location of each NPDES permit holder, and such limits are required to be incorporated into the sewer ordinance of each municipality which sends wastewater flow to the facility holding the permit, and

WHEREAS, EPA has distributed to Ambler new discharge limitations which must be incorporated into the sewer ordinance,

NOW, THEREFORE, Ordinance 902, section 2.4 (codified at 18-313), as subsequently modified, is amended in the following particular respects:


1. The list of pollutants and discharge limits is deleted and is hereby replaced with the following list of pollutants and discharge limits, with each limit being expressed as milligrams per liter (mg/L):

Arsenic	.19
Aluminum	14.51
Cadmium	.02
Chromium(T)	6.01
Chromium, Hexavalent	.42
Copper	1.28
Cyanide(T)	.36
Lead	.32
Mercury	.0009
Molybdenum	Monitor Only
Nickel	2.16

Selenium	.13
Silver	.96
Zinc	1.55
Phenols	3.26
Total Phosphorous	52.64
Ammonia	No Limit
BOD	No Limit
TSS	No Limit
TDS	Monitor Only

2. The remainder of the ordinance remains in full force and effect. This Ordinance is effective immediately upon adoption.

SO ORDAINED, this 18th day of June, 2013.

  
Antonio Isabella, Ambler Borough Council President

ATTEST:   
Mary Aversa, Secretary