



BOROUGH OF AMBLER

COMMITTEE MEETING

September 4, 2018

7:00 p.m.

**PUBLIC SAFETY
PUBLIC UTILITIES
FINANCE & PLANNING
PARKS & RECREATION
SALARY & PERSONNEL**

Public Safety Committee

Tuesday, September 4, 2018

Mr. Zaccone (Chair)

Mrs. Deininger

Mrs. Siskind

OLD BUSINESS

1. **ST. MARY'S DEVELOPMENT**

The Borough has submitted a letter to PennDOT with documentation supporting a signal being warranted. With the future construction of the St. Mary's Villa project, the Borough requests PennDOT reconsider having the St. Mary's Villa project install this signal at Bethlehem and Lindenwold as part of their Highway Occupancy Permit.

NEW BUSINESS

1. **PUBLIC WORKS & CODE REPORT**

The Code Enforcement report and Public Works report are **attached**.

2. **RED CROSS BLOOD DRIVE**

A Red Cross Blood Drive has been scheduled at the Borough Hall Gym on Friday, September 7, 2018 (2-7 p.m.) Call 1-800-RED CROSS or visit redcrossblood.org and enter: Ambler.

3. **HENDRICKS STREET BRIDGE**

The Bridge weight restrictions were posted and the Police Department is working with the public to raise awareness of the new limits. We are also preparing to do the same procedure for Maple Avenue.

4. **FRIENDS OF THE WISSAHICKON**

Maura McCarthy, Executive Director of Friends of the Wissahickon, would like to present Ambler with an award to thank us for our work to improve the water quality of the Wissahickon Creek.

5. **RESOLUTION SUSPENDING ORDINANCE 748**

Consider adoption of a Resolution Suspending Enforcement of Ordinance 748 for Persons Attending Oktoberfest Festival Events. **(attached)**

Borough of Ambler

Code Enforcement Report for August 2018

PERMITS	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	Total
Building	7	8	4	8	9	9	9	10					64
Dumpster	0	1	2	1	4	4	3	1					16
Fire	0	0	0	0	1	1	0	0					2
Mechanical	3	3	1	3	8	4	2	8					32
Plumbing	7	5	3	6	4	4	3	2					34
Road Opening	1	118*	0	2	6	2	2	3					134
Use and Occupancy	0	0	4	0	0	1	2	1					8
Vendor Sales	0	0	0	0	0	0	0	0					0
Zoning	2	0	2	7	7	7	7	4					36
Rental Inspections	26	12	66	82	61	39	34	65					385
TOTALS	46	147	82	109	100	71	62	94					711

*February Road Opening Permits number associated with the ongoing PECO service upgrades throughout the Borough

BOROUGH OF AMBLER
MONTGOMERY COUNTY, PENNSYLVANIA

RESOLUTION NO. 2018-_____

A RESOLUTION SUSPENDING ENFORCEMENT OF ORDINANCE 748
FOR PERSONS ATTENDING AMBLER BOROUGH'S

OKTOBERFEST FESTIVAL EVENTS
ON OCTOBER 5, 6 AND 7, 2018

BE IT RESOLVED that Ordinance 748, Codified in the Borough Ordinances at §6-101, prohibiting the carrying of alcoholic beverages in open containers, will not be enforced on October 5 and 6, 2018 or October 7, 2018 (rain date) against any attendee of Ambler Borough's Oktoberfest Festival events. During the festival, vendors and merchants will sell alcoholic beverages which may be carried and consumed by attendees within the visible boundaries of the event. Ordinance 748 will remain in force in the remainder of the Borough on those dates. All other laws relating to public conduct, including public intoxication and underage drinking, will remain in full force and effect, including throughout the festival events.

SO RESOLVED this _____ day of _____, 2018.

Frank DeRuosi, Council President

Mary Aversa, Secretary

Public Utilities Committee

Tuesday, September 4, 2018

Mr. Pasceri (Chair)

Mr. Zaccone

Ms. Tomlinson

Mrs. Siskind

OLD BUSINESS

1. **WATER AUTHORITY UPDATE**

A meeting is being scheduled with the Harrisburg attorney with regard to forming Water Authority.

NEW BUSINESS

1. **WWTP ENGINEER REPORT**

The WWTP Engineer's report is **attached**.

2. **U.S. EPA PFAS ASSESSMENT RESOLUTION**

Consider adoption of a Resolution Encouraging the U.S. EPA to Move Forward on Making an Assessment on the Lifetime Health Advisory for PFAS. (**attached**)



August 31, 2018

Ms. Mary Aversa
Borough Manager
Borough of Ambler
131 Rosemary Avenue
Ambler, PA 19002

Re: Status Report – August 2018

Dear Mary,

The status of current active projects is as follows:

- 1.) Wissahickon Creek TMDL – The work by Temple University is proceeding. Temple University has begun sharing some of the data collected over the past two years and some of their impressions of that data.
- 2.) NPDES Permit – PADEP will be issuing a final NPDES permit for the Borough of Ambler WWTP effective October 1, 2018. An aluminum limit is proposed, but it is a limit the Borough presently meets.
- 3.) NPDES Permit and TMDL Compliance– EEMA is working with WWTP personnel to prioritize repair, replacement and refurbishment of certain critical process related valves and pumps. To meet the total phosphorus limits proposed by DEP, all processes at the WWTP will need to perform optimally. EEMA is also investigating additional chemical storage, multiple chemical addition locations, and converting the digesters to aerobic digestion.
- 4.) Conversion of Digesters – EEMA is proceeding with the design to convert the digesters from anaerobic digestion (without air) to aerobic digestion (with air).
- 5.) Chemical Tank Product Conversion – The WWTP is now using PolyAluminum Chloride as the chemical utilized for phosphorus removal. EEMA is working with plant personnel to identify optimum dosing rates.

If you have any questions, please do not hesitate to contact me.

Very truly yours,
Environmental Engineering &
Management Associates, Inc.

William A. Brown II, P.E.
Principal Engineer

**BOROUGH OF AMBLER
MONTGOMERY COUNTY, PENNSYLVANIA**

RESOLUTION 2018-_____

**A RESOLUTION ENCOURAGING
U.S. EPA TO MOVE FORWARD ON MAKING AN ASSESSMENT ON
THE AGENCY'S LIFETIME HEALTH ADVISORY FOR PFAS**

WHEREAS, the U.S. Environmental Protection Agency (U.S. EPA), as authorized by the Safe Drinking Water Act (SDWA), as amended in 1996, had in the past assigned monitoring schedules for Public Water Systems under the Third Unregulated Contaminant Monitoring Rule (UCMR3); and

WHEREAS, in 2012 the UCMR3 established a new list of unregulated contaminants including certain compounds in the PFAS (per- and poly-fluoroalkyl substances) family of contaminants, to be monitored, with assessment monitoring assigned to Ambler Borough Water Department at the starting year and month of August 2013; and

WHEREAS, in 2016 the U.S. EPA issued a lifetime health advisory of 70 parts per trillion (ppt) for the combined concentration of two of these chemicals, PFOS and PFOA; and

WHEREAS, research is still ongoing and data continues to be gathered, with reports circulating stating that a lower lifetime health advisory may be recommended; and

WHEREAS, Ambler Borough Water Department seeks to remain active and updated regarding issues related to PFAS and is aware that this health advisory is neither regulated nor enforceable.

NOW THEREFORE BE IT RESOLVED that the Borough Council of the Borough of Ambler is aware that the presence of PFAS in the environment is an issue of concern nationwide, with some communities affected more significantly than others; that the U.S. EPA has obtained a collection of information that should provide sufficient data for the agency to issue or revise a scientific determination of lifetime health advisory, or an enforceable maximum contaminant level, if appropriate and necessary; and that the U.S. EPA is encouraged to move forward in a timely manner in making such a determination.

BE IT FURTHER RESOLVED that Ambler Borough Council and the Ambler Borough Water Department will continue to work with our federal and state regulators to provide the highest quality drinking water to all customers.

SO RESOLVED THIS _____ day of _____, 2018.

Frank DeRuosi, Council President

Mary Aversa, Secretary

Finance & Planning Committee

Tuesday, September 4, 2018

Ms. Tomlinson (Chair)

Ms. Di Pietro

Mrs. McKenna Endicott

OLD BUSINESS

1. **CDBG GRANT PROJECT – MUNICIPAL PUBLIC RESTROOMS**
Solicitations of bids for the Municipal Building Public Restrooms Architectural Barrier Removal Project (CDBG Grant) have been advertised. Bid opening is scheduled for September 10th at 11:00 a.m. at Borough Hall.
2. **PROFESSIONAL SERVICES RFOs**
Request for qualifications of professional services (Solicitor, Municipal Engineer, Wastewater Treatment Plant Engineer and Building Inspector) were advertised. The Borough will accept sealed qualifications submittals until 11:00 a.m. Friday, September 14, 2018. The proposal for the Auditor was advertised.
3. **CLEAN ENERGY INITIATIVE**
Borough Departments will investigate ways for the Borough to include sustainable energy practices and recommend cost saving improvements in the 2019 Budget.

NEW BUSINESS

1. **BOROUGH ENGINEER'S REPORT**
The Borough Engineer's report is **attached**.
An update will be provided on the Butler Avenue Crosswalks, Traffic Signal at Maple Avenue and the Pocket Park design.
2. **COUNTY HAZARD MITIGATION PLAN**
The County's updated Hazard Mitigation Plan was reviewed by Ambler's Planning Commission. A Municipal Resolution for adoption is **attached**.
3. **ZONING HEARING BOARD**
The Borough has received the following Zoning Hearing Board application. **(attached)**
Main Street – Commercial outside storage
4. **READY FOR 100**
Bill Sabey will give a presentation about the Sierra Club's "Ready For 100" campaign. **(attached)**

5. **COMCAST CABLE AGREEMENT**

Attached is the summary for the Comcast Franchise agreement, a list of locations will be provided for free service. A Resolution to grant Comcast the ability to construct, operate and maintain a cable system utilizing public rights-of-way and properties within the Borough's jurisdiction is required.

6. **EXECUTIVE SESSION**

An executive session is required to discuss a FEMA acquisition grant.

AMBLER BOROUGH

Status

Project No.	Project Name	Status
Borough Engineer		
2001-1010	TEA-21 - Ambler Streetscape 2002	Construction underway. Outstanding work includes: DuraTherm decorative crosswalks, signal activation, and 30-day test period. 8 week lead time for DuraTherm material. Anticipate completion September/October.
2003-0122-01	Ambler-2013 NPDES MS4 Permit	NOI for 2018 Individual MS4 Permit submitted 9/16/17. Next Annual report due 9/30/18 for period 3/16/16 thru 6/30/18. Preparation of 2018 Annual Report underway.
2006-08054	Pedestrian Sidewalk Upgrade Program	Revised Safety Report submitted to DVRPC 8/29/18.
2012-12032	Caddick-AMA-Land Development	Conditional Use was not granted. Approval of final LD not granted. Review of new CU submission (dated 6/30/17) provided 9/13/2017.
2013-02020	Ambler Crossings	Construction underway.
2014-12015	St. Mary's Villa Residential Redevelopment.- TIS	Lindenwold traffic counts obtained March 2018. Meeting with PennDOT, UDT, and Ambler to discuss potential signal at Lindenwold scheduled 6/7/18.
2017-01010-01	Ambler Pocket Park	Application to National Recreation and Park Association (NRPAA) 2018 Great Urban Parks Campaign (GUPC) submitted 8/1/18. Park design kick-off meeting held 8/31/18.
2017-01010-02	Ambler Traffic Signals	RRFB permit plans approved by PADOT. Awaiting return of signed plans from PADOT.
2017-01105	Ambler Borough 2017 Road Paving	Construction complete. Maintenance Bond Dated 10/31/2017. Maintenance period expires 5/28/18. Maintenance period expires 5/1/2019.
2017-09055	Bridge/Culvert Assessments	Load rating report of Hendricks/Rose Valley provided 7/31/18. Condition assessment of Hendricks/Rose Valley underway. Load rating analysis if N. Maple/Lanney Run underway. Condition assessment of N. Ridge/ Rose Valley to be completed.
2018-01010	2018 Ambler Borough General Engineering Services	On going
2018-05050	Quinn – 325 Valley Brook Rd Zoning Permit Review	Zoning Permit review provided 6/22/18 by email.
2018-08087	171 Rosemary Ave - Zacccone Motors	Review of concept plan provided 8/24/18.
Sewer Engineer		
2013-02020-01	Ambler Crossings - Sewer	Construction underway. Sanitary Sewer is under construction
2018-01050	2018 Ambler Borough General Sewer Service	On-going
Water Engineer		
2013-02020-02	Ambler Crossings - Water	Construction underway. Water Main is tested/complete
2016-04009	Maple Ave Water Main Replacement	Field survey completed. Awaiting further direction from Water Superintendent.

GILMORE & ASSOCIATES, INC.

Thursday, August 30, 2018

AMBLER BOROUGH

Status

Project No.	Project Name	Status
Water Engineer		
2017-01110	PWS Applications	Preparing PWS application for Well 8 minor permit amendment. On Hold. Awaiting direction from Water Superintendent.
2017-03065	Prophecy Creek Bridge	Assisting Water Dept. with review of County's plans for bridge replacement project and impact on existing water main. Currently inactive.
2017-03128	Lafayette Ave. Water Main Replacement	Water main construction and testing complete. Final paving remains.
2017-11039	Houston Road Tank-AT&T Antennae Modifications	Plan review letter issued on 11/20/17.
2017-11058	Small Water & Sewer Grant Application	Grant application submitted to DCED on 2/22/18.
2018-01049	2018 Ambler Borough General Water Service	Ongoing assistance concerning PFAS monitoring, providing information and responses to the public. Assisting water staff with water quality compliance monitoring and reporting.
2018-01154	Gwynedd Walk (LGT)	Water main construction and testing complete.
2018-01171	Mattison Estates (JDT)	Water plan review #1 letter issued on 4/17/2018. Water tapping fee determination letter sent to Applicant on 7/11/18.
2018-05094	Broad Axe Tank - AT&T Upgrades	Plan review letter issued 6/19/18.

Borough Of Ambler

131 EAST BUTLER AVENUE
AMBLER, PENNSYLVANIA 19002-4476

PHONE 215-646-1000
FAX 215-641-1355 ADMINISTRATION
FAX 215-641-1921 WATER DEPARTMENT
WEBSITE: www.boroughofambler.com



Memorandum

To: Ambler Borough Council
Mary Aversa, Borough Manager

From: Glenn Kucher, Code Enforcement Officer

Date: August 30, 2018

Re: Montgomery County Hazard Mitigation Plan Update

Montgomery County has updated its Hazard Mitigation Plan as per the requirement under the Federal Disaster Mitigation Act of 2000. The original plan was completed and adopted by all municipalities including Ambler Borough in 2007 and updated in 2012. The plan has been approved by both FEMA and FEMA. Each municipality must formally adopt the plan to continue to be eligible for hazard mitigation grants and funding programs. The plan covers a wide range of potential hazards for the County from flooding and extreme temperatures to terrorist attacks and transportation accidents. Attached are some highlighted references to Ambler Borough in the plan. The Planning Commission and I noted some minor misprints that will be forwarded to the County. This plan is proposed to be adopted through the attached resolution.

The plan can be found through the link on the Borough website or below. Please note the plan is over 500 pages before printing. There is a list of slides starting on page 291 which give a good overview and better understanding of the plan if you are interested in learning more.

<https://www.montcopa.org/DocumentCenter/View/19172/2017-DRAFT-Hazard-Mitigation-Plan?bidId=>

Feel free to contact me with any questions.

Borough Of Ambler

131 ROSEMARY AVENUE
AMBLER, PENNSYLVANIA 19002-4476

PHONE 215-646-1000
FAX 215-641-1355 ADMINISTRATION
FAX 215-641-1921 WATER DEPARTMENT
WEBSITE: www.ambler.pa.us



August 28, 2018

Mary Aversa, Borough Manager
Borough of Ambler
122 East Butler Avenue
Ambler, PA 19002

Re: Montgomery County Hazard Mitigation Plan

Dear Mrs. Aversa:

Please be advised that the Ambler Borough Planning Commission at its August 28, 2018, meeting voted unanimously to make a recommendation to Borough Council to consider, review and adopt the Montgomery County Hazard Mitigation Plan.

If you have any questions, please feel free to contact our Chairman, Robert Lagreca.

Very truly yours,

Carol Ann DiPietro
Secretary
Ambler Borough Planning Commission

Goal #3. Significantly reduce the risk of loss of life, injuries, economic costs, and destruction of natural and cultural resources that result from all hazards. (page 17)

Infrastructure Upgrades

Loch Alsh Reservoir Dam and Spillway Repair: The large dam along Loch Alsh Avenue in Upper Dublin is owned by the Ambler Water Authority. The dam was already undergoing renovations, including a reinforced and expanded spillway, embankment armoring, retooling of the outlet drain and spillway seepage mitigation, when Tropical Storm Lee hit the area in September 2011, necessitating increased concern and additional structural work. Due to the damage that the dam sustained as a result of the torrential downpours from Tropical Storm Lee, the Pennsylvania Department of Environmental Protection (PA DEP) required new enhancements, including a larger drawdown pipe, an upstream slide gate control structure, upgrading the downstream control valve, improved drainage and spillway improvements. This work has been completed by the Ambler Water Authority.

Goal #4. Encourage and promote actions to minimize the impact of floods within the county. (page 21)

Planning and Training

Ambler Flood Study: After the impacts in Ambler Borough caused by Hurricane Irene and Tropical Storm Lee in 2011, the borough received \$177,000 in grants from the United States Environmental Protection Agency (EPA) and the United States Army Corps of Engineers (USACE) to enable Temple University's Center for Sustainable Communities (CSC) to prepare a stormwater management plan for three urban watersheds — Rose Valley, Honey Run/Stuart Creek and Tannery Run in Ambler Borough and Upper Dublin, Lower Gwynedd and Whitpain Townships.

The CSC's plan, completed in December 2014, identified and prioritized stormwater improvements to mitigate water quality and flooding issues that the municipalities have faced for many years. These measures include: the use of stormwater Best Management Practices (BMPs) to achieve improved water quality and flood-loss reduction through groundwater recharge and retention, stream bank protection, and volume control in upstream areas; and retrofitting existing stormwater facilities in other built-out sections of the study area.

Nonstructural/ Flood Proofing Workshops in West Ambler/ Rose Valley Creek Watershed:

In June 2017, USACE's National Nonstructural Flood Proofing Committee hosted two workshops to promote the use of non-structural risk adaptive measures for reducing flood risk to residential, commercial, and public property. The sessions contained information from USACE, FEMA, EPA, the Pennsylvania Emergency Management Agency (PEMA), and Montgomery County. The sessions were held in West Ambler within Whitpain Township, a community that has been subject to past flooding from the Wissahickon Creek and tributaries of the creek that flow through the Ambler area.

Members of the USACE Committee conducted assessments on 15 to 20 residential and commercial buildings and facilities for nonstructural flood proofing options. Committee members will write a report on possible solutions based on the assessments. The solutions proposed in the report could be applied to similar facilities within the region.

4.3.4. Flood, Flash Flood, Ice Jam (page 69)

Wissahickon Creek

Ambler Borough and Whitpain Township (Rose Valley Creek, Tannery Run, and Stuart Farm Creek): Several homes and businesses within Ambler Borough have been flooded by the three tributaries of the Wissahickon Creek that flow through the borough. (See Map in Appendix S) Some of the causes of flooding are excess flow from adjoining municipalities and constricted conveyance capacity in the culverts conveying stormwater through the borough.

Three tributaries (Rose Valley Creek, Stuart Farm/Honey Runs, and Tannery Run) to the Wissahickon create flooding problems in the Ambler area, including the townships of Lower Gwynedd, Upper Dublin and Whitpain. A study on possible drainage improvements was published in 2014 by Temple University, Ambler Campus. The study found that many parts of West Ambler are not in the FEMA floodplain boundary, but they still experience flooding. The study recommended channelizing Rose Valley Creek and Tannery Run to mitigate flooding.



Structures within the regulatory floodplain in Ambler Borough.

Additionally, Ambler faces a unique flooding concern in that it contains two enormous asbestos piles. Although these piles have both been "capped" by the EPA (meaning there's a large layer of fabric and soil on top), flooding in the area could potentially disturb the piles by eroding the cap slowly. The 2014 Temple study mentioned one of the asbestos piles, but did not go into detail about the volatility of either, simply concluding that channelization of the two tributaries could lessen the likelihood of flooding related damage to the Bo-Rit site asbestos waste soil caps.

Six properties in West Ambler in the 200 block of Maple Avenue flood due to a undersized sluiceway conveying the Rose Valley Creek under Maple Avenue. These properties are now under consideration for grant funding to acquire and remove them. In Hurricane Irene, a vehicle was clogged in the sluiceway causing even more flooding at this location. A property in this same area within the 200 block of Railroad Avenue has flooded in the past. Mount Pleasant Road floods periodically at Maple Avenue.

**Borough of Ambler
Montgomery County, Pennsylvania**

**Montgomery County 2017 Hazard Mitigation Plan Update
Municipal Adoption Resolution 2018-_____**

WHEREAS, the Borough of Ambler, Montgomery County, Pennsylvania is most vulnerable to natural hazards which may result in loss of life and property, economic hardship, and threats to public health and safety, and

WHEREAS, Section 322 of the Disaster Mitigation Act of 2000 (DMA 2000) requires State and local governments to develop and submit for approval to the President a mitigation plan that outlines processes for identifying their respective natural hazards, risks, and vulnerabilities, and

WHEREAS, the Borough of Ambler acknowledges the requirements of Section 322 of DMA 2000 to have an approved Hazard Mitigation Plan as a prerequisite to receiving post-disaster Hazard Mitigation Grant Program funds, and

WHEREAS, the Montgomery County 2017 Hazard Mitigation Plan has been developed by the Montgomery County Planning Commission in cooperation with other county departments, and officials and citizens of the Borough of Ambler, and

WHEREAS, a public involvement process consistent with the requirements of DMA 2000 was conducted to develop the Montgomery County 2017 Hazard Mitigation Plan, and

WHEREAS, the Montgomery County 2017 Hazard Mitigation Plan recommends mitigation activities that will reduce losses to life and property affected by natural hazards that face the County and its municipal governments,

NOW THEREFORE BE IT RESOLVED by the governing body for the Borough of Ambler:

- The Montgomery County 2017 Hazard Mitigation Plan is hereby adopted as the official Hazard Mitigation Plan of the Borough of Ambler, and
- The respective officials and agencies identified in the implementation strategy of the Montgomery County 2017 Hazard Mitigation Plan are hereby directed to implement the recommended activities assigned to them.

ADOPTED, this _____ day of _____, 2018

BOROUGH OF AMBLER

Attest:

Frank DeRuosi, Borough Council President

Mary Aversa, Secretary

Borough Of Ambler

131 ROSEMARY AVENUE
AMBLER, PENNSYLVANIA 19002
PHONE 215-646-1000
FAX 215-641-1355 ADMINISTRATION
FAX 215-641-1921 WATER DEPARTMENT
WEBSITE: www.boroughofambler.com



ZONING OFFICER REPORT

Zoning Hearing Board Application Summary

PROPERTY: Forest & Main Brewing Company (applicant)
61 N. Main Street
Tax Parcel: 01-00-02734-00-1

ZONING DISTRICT: DC – Downtown Commercial

REQUEST: The applicant seeks a special exception from the following Zoning Ordinance Section to allow for outdoor storage container for the storage of brewing ingredients in an DC – Downtown Commercial zoning district:

- Section 27-2802.2.C– to allow for outdoor storage facilities

The complete application is available for review in the Code Department Office. The Borough is presently working with the applicant and the Zoning Hearing Board to schedule a hearing date.

Respectfully Submitted,

Glenn Kucher
Code Enforcement Officer
August 30, 2018

Parks & Recreation Committee

Tuesday, September 4, 2018

Ms. Hertz (Chair)

Mrs. Deininger

Ms. McKenna Endicott

OLD BUSINESS

1. **FRIENDS OF BOROUGH PARKS**

The committee is looking into various “Friends of Park” programs to gather information and possible program guidelines for Ambler Parks. The committee will evaluate the survey results and make recommendations.

2. **RESOLUTION 2018-13 RECOGNIZING PLANT AMBLER**

A Resolution will be presented at the Council Meeting to Plant Ambler for their dedication in beautifying Ambler for 45 years.

NEW BUSINESS

Salary & Personnel Committee

Tuesday, September 4, 2018

Mrs. Deininger (Chair)

Mr. Pasceri

Mr. Zaccone

Ms. Di Pietro

OLD BUSINESS

1. **ENVIRONMENTAL ADVISORY COUNCIL**

Vacancies exist on the Environmental Advisory Council. Interested residents should forward a letter of interest/resume to the attention of the Borough Manager manager@borough.ambler.pa.us

NEW BUSINESS

1. **CIVIL SERVICE RULES**

The Civil Service rules are being finalized and will be sent to the commission for approval. Letters of interest are being accepted until September 12, for the vacancies on the Civil Service Commission. **(attached)**

2. **POLICE DEPARTMENT TESTING**

Testing for a new patrolman will be scheduled.

3. **EAC VACANCY**

The **attached** resume was received from Benjamin Sheedy for appointment to the EAC.

Public Comment Procedure:

As a reminder, it will not be the practice of Council to answer questions and/or engage in dialogue with the speaker during the Public Comments section of the meeting. Comments regarding any and all employee issues will not be entertained. Council may address items or questions raised at the next scheduled Committee/Council meeting, but reserves the right to determine agenda items. Council requests that those in attendance refrain from engaging the speaker during public comments. Thank you for your cooperation.

Ambler Borough Council